



Micro Animal Health Care
(A MICRO LABS GROUP ENTITY)



Feed Additives, Nutritional Supplements and Biocide





Micro Animal Health Care
(A MICRO LABS GROUP ENTITY)



Quality



Ethics



**Customer
Focus**



**Respect
for People**



**Global presence in over 50 countries
13 World class Manufacturing plants
3 R & D centers, at Mumbai & Bangalore**

International Accreditations



API (Active Pharmaceutical Ingredient) site is designed to meet European Union and US FDA standards.

INDEX

INDEX

FEED ADDITIVES

Anti Stress and Immunity Enhancer	01
Growth Promoters	03
Natural Growth Promoters NGPs	05
Acidifiers	06
Enzymes and Probiotics	07
Trace Minerals	08
Liver Tonics	09
Vitamin Premixes	10
Toxin Binder	10
Biosecurity and Water Sanitation	11
Fly Management	11

THERAPEUTICS

Anticoccidials	13
Antibiotics	14
Dewormer	17

Biostar-Vet

VITAMIN 'E' FORTIFIED
WITH SELENIUM

Pack size:
200 gm



Composition

Vitamin E 10 % w/w
Selenium 0.01 % w/w

Indications

- Poor fertility and hatchability
- Deficiency of Vitamin E and Selenium
- Stress
- Leg weakness

Benefits

- Reduces stress of various origin.
- Improves fertility, hatchability and FCR.
- Reduces leg weakness, muscular dystrophy and sudden death syndrome.
- Improves immunity and antibody titre post vaccination.
- Helps fast recovery from ailments.

Usage

Chicks/Growers/Layers/Broilers: 10 gm for 100 birds

Breeders: 20 gm for 100 birds
Or 200 gm per Ton

Or as recommended by Nutritionist / Veterinarian

Biostar Vet L

VITAMIN 'E' FORTIFIED
WITH SELENIUM

Pack size:
1L



Composition

Vitamin E
Selenium
Biotin
Zinc
Tulsi extract

Indications

- Poor fertility and hatchability
- Deficiency of Vitamin E and Selenium
- Stress

Benefits

- Maximizes immune response & faster recovery post infection.
- Improves antibiotic titers
- Optimizes fertility, hatchability, and productivity in breeders
- Reduces incidences of ascites & sudden death syndrome in broiler

Usage

Chicks: 5ml/100 birds

Broilers/Layers: 10ml/100 birds

Breeders: 20ml/100 birds

Or as recommended by Nutritionist/Veterinarian



Microcee

VITAMIN C 50% W/W
FEED SUPPLEMENT

Pack size:
1 kg



Composition

Vitamin C (Coated)
50% w/w

Indications

- Stress of any origin
- Poor immunity
- Disease recovery

Benefits

- Reduces stress of vaccination, heat, transportation etc.
- Enhances immune response.
- Ensures better FCR, feed utilization and body weight gain.
- Improves semen quality and volume.

Usage

Chicks: 10 gm for 1000 birds

Broilers: 20 gm for 1000 birds

Layers: 20 gm for 1000 birds

Breeders: 30 gm for 1000 birds

Or 200 gm per Ton

Or as recommended by Nutritionist / Veterinarian

MicrolYTE

ANTISTRESS FORMULA

Pack size:
1 kg



Composition

Sodium chloride
Potassium chloride
Sodium bicarbonate
Sodium acid phosphate
Sodium citrate
Calcium lactate
Magnesium sulphate
Maltodextrin
Ascorbic acid
Lactobacillus viable spores

Indications

- Electrolyte imbalance
- Stress of any origin
- Diarrhoea
- Disease recovery
- Chicks after arrival

Benefits

- Effectively balances electrolytes in birds.
- Overcomes stress due to vaccination, deworming, debeaking, weather changes, change of feed, transportation and reduces mortality.
- Aids quick recovery from diseases.
- Controls mortality due to heat stress,
- Provides energy to chicks when administered immediately after arrival.

Usage

- 1 gm per 2 L of water in stress

- During heat stress and in case of Electrolyte imbalances double the recommended level

Or as recommended by Nutritionist / Veterinarian

MicrolYTE - FM

ANTISTRESS FEED MIX

Pack size:
10 kg



*Also Available
as Feed Mix*

Usage

1 kg per Ton

During heat stress and in case of Electrolyte imbalances double the recommended level i.e. 2 kg per Ton

Or as recommended by Nutritionist / Veterinarian

FURALAY-200

FURAZOLIDONE 20%
W/W FEED SUPPLEMENT

Pack size:
5 kg & 10 kg



Composition

Furazolidone 20%

Indications

- Poor growth, FCR and productivity
- Intestinal disorder
- Salmonellosis
- Loose dropping
- Overicidal infection

Benefits

- Promotes healthy growth.
- Supplement of choice for salmonellosis.
- Reduces gut bacterial load and controls enteritis.
- Overcomes intestinal disorder and improves nutrient uptake.
- Ensures better FCR, growth and production.

Usage

Layers/Broilers: 250-500 gm per Ton for 1 week

Breeders: 500-750 gm per Ton for 1 week

Or as recommended by Nutritionist / Veterinarian

MicroFac FS

CHLORTETRACYCLINE
HYDROCHLORIDE 15%

Pack size:
25 kg



Composition

Chlortetracycline
Hydrochloride 15% w/w

Indications

- Growth promotion
- Prevents stress
- Sub clinical infections

Benefits

- Broad spectrum of action to control subclinical bacterial infections.
- Fast absorption and quick results.
- Improves feed efficiency, FCR, weight gain, egg production and hatchability.

Usage

Layers/Broilers: 333 gm per Ton or 1 kg for per 3 Ton for 10 days

Breeders: 2kg per 3 Ton for 10 days

Or as recommended by Nutritionist / Veterinarian

MicrOxy-200

OXYTETRACYCLINE
HCl 20% W/W

Pack size:
25 kg



Composition

Oxytetracycline HCl 20 % w/w

Indications

- Poor FCR, body weight gain and productivity in birds
- Prevention of respiratory and digestive system diseases

Benefits

- Improves productivity in broilers, layers & breeders
- Ensures optimum FCR & egg production in layers
- Effectively minimizes laying slumps and ensures higher production at times of stress
- Helps faster growth and minimizes the finishing period in broilers
- Improves the overall health and FCR in breeders, layers & broilers
- Prevents secondary bacterial complications associated with viral diseases

Usage

Layers/Broilers: 250-500 gm per Ton of feed for 10 days

Breeders: 500-750 gm per Ton of feed for 10 days

Or as recommended by Nutritionist / Veterinarian

Microguard-TI

TIAMULIN 10% COATED
FEED PREMIX

Pack size:
1 kg



Composition

Tiamulin Hydrogen
Fumarate 10% w/w

Indications

- Growth promotion
- Nonspecific diarrhoea
- Fowl cholera

Benefits

- Promotes growth, weight gain and FCR.
- Improves and maintains egg production.
- Controls outbreaks of CRD in flock.
- Synergistic action when used with Microfac FS.

Usage

Broilers: 300 gm per Ton for 7 days

Layers: 500 gm per Ton for 7 days

Breeders: 1 kg per Ton for 7 days

**Or as recommended by Nutritionist /
Veterinarian**

MICROFAC TI

SYNERGISTIC COMBINATION
PREMIX FOR MYCOPLASMA

Pack size:
10 kg



Composition

Each Kg contains
Chlortetracycline
Hydrochloride 100 gm
Tiamulin Hydrogen
Fumarate 33.33 gm

Indications

- Growth promotion
- Prevent stress
- Sub clinical infections

Benefits

- Synergistic combination for effective growth promotion.
- Effectively prevents subclinical disease occurrence when used continuously.

Usage

Layers/Broilers: 1 kg per Ton of feed for 10 days

Breeders: 2kg per Ton of feed for 10 days

**Or as recommended by Nutritionist /
Veterinarian**

TYLOPHOS PREMIX

TYLOSIN PHOSPHATE
POWDER

Pack size:
10 kg



Composition

Tylosin Phosphate
10% w/w

Indications

- Growth promotion
- Poor production due to
Sub clinical infections

Benefits

- High bioavailability.
- Improve productivity and egg quality in layers.
- Improves fertility and hatchability in breeders.
- Improves body weight, FCR and feed efficacy in chicks / growers.
- Aids in superior quality egg & meat production.
- Stops Mycoplasma vertical transmission.

Usage

500 gm per Ton

**Or as recommended by Nutritionist
/ Veterinarian**

MICRO-GP

NATURAL GROWTH
ENHANCER

Pack size:
5 L



Composition

Liquid Methionine
Lysine
Sodium
Copper
Cobalt
Phosphorous
Choline
Manganese
Iron
Zinc
Magnesium

Indications

- Growth promotion
- Minerals and amino acids deficiency
- Leg weakness
- Stress
- Cannibalism

NATURAL GROWTH PROMOTERS

Benefits

- Solves growth and production related problems in birds.
- Effectively address the nutritional deficiencies.
- Improves FCR, feed efficacy, productivity and flock uniformity.

Usage

For Regular Use

1 -2 mL per litre of drinking water

Chicks: 2 - 4 mL per litre of drinking water

In mineral and amino acid deficiencies

Chicks/Growers/ Broilers: 5-10 mL per 100 birds for 7 days

Layers and Breeders: 10- 20 mL per 100 birds for 7 days

Or as recommended by Nutritionist / Veterinarian

MICROBOOSTER

NATURAL GROWTH
ENHANCER

Pack size:
1 L



Composition

Vitamin A, D₃, E, K
Vitamin B complex
Choline
Biotin
Folic acid
Niacinamide
Vit C
Inositol
Amino acids
Probiotics, Prebiotics
Trace minerals

Benefits

- Optimizes growth by balancing the nutritive value of feed
- Alleviates stress related disorders
- Improves intestinal health and aids to prevent leaky gut
- Improves Liver health and prevent fatty liver issues.

Usage

Per 100 birds through drinking water for 5-7 days:

Chicks : 10ml

Broilers : 15ml

Layers : 20ml

Breeders : 30ml

Or as recommended by Nutritionist / Veterinarian



ACIFIX-LBROAD SPECTRUM ACIDS
WITH ESSENTIAL OILSPack size:
5 L**Composition**

Phosphoric acid
Lactic acid
Citric acid
Formic acid
Acetic acid
Tartaric acid
Malic acid
Essential oils

Indications

- Water sanitization and acidification
- Maintains pH of drinking water
- Poor FCR, growth and performance
- Infection risk

Benefits

- Reduces pH of drinking water and crop & protects against pathogens.
- Supports enzyme activity and enhances digestion and metabolism.
- Improves gut immunity and promotes growth of gut microflora.
- Reduces incidence and prevalence of infections from *E. Coli*, and other pathogens.

Usage

- **Regular use:** 1 mL for 4 L of drinking water
 - **During Stress Conditions:** 1 mL for 2 L of drinking water
- Or as recommended by Nutritionist / Veterinarian**

ACIFIX PPOULTRY ACIDIFIER FOR
ENHANCED PRODUCTIONPack size:
25 kg**Composition**

Acetic acid
Citric acid
Formic acid
Propionic acid
Lactic acid
Sorbic acid
Fumaric acid
Essential oils

Indications

- Feed acidification
- High pathogen load in GIT
- Poor FCR, growth and performance
- Infection risk

Benefits

- Reduces and maintains pH of feed and controls the growth and multiplication of harmful pathogens.
- Improves palatability of feed.
- Supports enzyme activity and enhances digestion and metabolism.
- Improves gut immunity and promote growth of gut microflora.
- Reduces incidence and prevalence of infections from *E. Coli*, and other pathogens.
- Improves the digestion, absorption and utilization of feed.

Usage

1 kg per Ton

Or as recommended by Nutritionist / Veterinarian

Microzyme

THERMOSTABLE COCKTAIL ENZYMES

Pack size:
10 kg



Composition

Cocktail enzyme blend with probiotic & prebiotics

Indications

- Intestinal integrity
- NSP in feed
- Improper nutrient absorption

Benefits

- Thermostable enzyme blend.
- Improves FCR, feed utilisation and body weight.
- Ensures proper utilization and digestion of nutrients, NSP, carbohydrate, protein and lipids.
- Helps in reducing egg shell breakages.

Usage

250 gm per Ton
Or as recommended by Nutritionist / Veterinarian

Microzyme-P DS

MICRO GRANULAR PHYTASE

Pack size:
10 kg



Composition

Phytase 5,000 IU per gm

Indications

- Birds fed on plant based diet
- Improper nutrient absorption
- General health

Benefits

- Thermostable phytase suitable for pelleting
- Improves nutrient utilization by increasing intestinal viscosity.
- Releases bound phytate in to phosphorous to increase bioavailability & reduces leg weakness.
- Helps to attain better FCR, body weight gain, egg/egg shell quality.

Usage

75-100 gm per Ton
Or as recommended by Nutritionist / Veterinarian

MICRO TM B

TRACE MINERAL SUPPLEMENT FOR BROILERS

Pack size:
10 kg



Composition

Inorganic salts of
Copper
Iron
Manganese
Zinc
Selenium
Iodine

Benefits

- Ensures proper metabolic and biochemical processes in birds.
- Addresses the TM deficiency syndromes like lameness, delayed maturity etc.
- Improves immunity and meat quality.
- Helps in achieving flock uniformity, improves feed utilization, FCR, nutrient uptake and weight gain.

Indications

- Deficiency of trace minerals
- Leg weakness

Usage

500 to 1000 gm per Ton

In case of severe deficiency 1-2 kg per Ton

Or as recommended by Nutritionist / Veterinarian

MICRO TM L

TRACE MINERAL SUPPLEMENT FOR LAYERS

Pack size:
10 kg



Composition

Inorganic salts of
Copper
Iron
Manganese
Zinc
Selenium
Iodine

Benefits

- Ensures proper metabolic and biochemical processes in birds.
- Addresses the TM deficiency syndromes like lameness, delayed maturity etc.
- Supports moulting and helps in achieving flock uniformity,
- Improves feed utilization, FCR and nutrient uptake.

Indications

- Deficiency of trace minerals
- Poor production
- Leg weakness

Usage

Layers: 500 - 1000 gm per Ton

In case of severe deficiency 1-2 kg per Ton

Or as recommended by Nutritionist / Veterinarian



MICROLIV FORTEHEPATOPROTECTIVE
FORMULAPack size:
1 L & 5 L**Composition**

Choline chloride
Extract of liver
Extract of yeast
Vitamin B₁
Vitamin B₁₂
Vitamin B₃
Vitamin B₅ Analog
Inositol
Copper
Cobalt

Indications

- Liver damage
- Fatty liver disease
- Mycotoxycosis

Benefits

- Effectively corrects liver damages caused by pathogens.
- Mobilizes fat from liver and helps to treat fatty liver disease.
- Protects liver during mycotoxycosis.
- Regularizes the secretion and flow of bile.
- Ensures effective digestion and absorption of nutrients.
- Improves appetite, feed intake and thus improves productivity.
- Maintains healthy liver, promotes growth and production.

Usage**Chicks:** 05-10 mL per 100 birds**Broilers/Layers :** 20mL per 100 birds**Breeders:** 25 mL per 100 birds for 10 days**Or as recommended by Nutritionist /
Veterinarian****Microliv P**

LIVER TONIC

Pack size:
25 kg**Composition**

Eclipta alba (Bhringaraja)
Andrographis paniculata
(Kalmegh)
Tinospora cardfolia
(Guduchi)
Phyllanthus amarus
(Bhumyamlaki)
Solanum nigrum
(Kakamachi)
Azadirachta indica
(Nimba bark)
Terminalia arjuna (Arjuna)
Processed with other
synergistic herbs

Indications

- Liver protection
- Fatty liver disease
- Digestive disorders

Benefits

- Protects liver from toxins and chemicals.
- Supports enzymatic & metabolic activities of liver.
- Regularizes the secretion & flow of bile.
- Ensures effective digestion and absorption of nutrients.
- Mobilizes fat and thus is recommended in fatty liver syndrome/ disease in birds.
- Maintains healthy liver, Promotes growth and production.

Usage

• 250g/ton of feed

Or as recommended by Nutritionist/Veterinarian



MICROVIT-PREMIX

BALANCED VITAMIN
PREMIX

Pack size:
10 kg



Composition

Vitamin A
Vitamin D₃
Vitamin E
Vitamin K
Vitamin B₁
Vitamin B₂
Vitamin B₆
Vitamin B₁₂
Niacin
Cal-D Pantothenate
Folic Acid
Biotin
Vitamin C

Indications

- Vitamin deficiency
- Poor production

Benefits

- Unique product for broilers, layers and breeders.
- Highly bioavailable ingredients and homogenous mixing.
- Addresses vitamin deficiencies.
- Improves FCR, weight gain and productivity.
- Improves nutrient value of feed.
- Controls and prevents egg breakage and thin shells.

Usage

Layers: 250 gm per Ton

Broilers: 500gm per Ton

Breeders: 750 gm per Ton

Or as recommended by Nutritionist / Veterinarian

TOXIN BINDER

Microtox

TOXIN BINDERS
MOULD INHIBITOR

Pack size:
25 kg



Composition

HSCAS
Mannon Oligosaccharides
(MOS)
Curcumin Extract

Indications

- Mycotoxins in feed

Benefits

- Broad spectrum toxin binder & mould inhibitor.
- Arrests mould growth & mycotoxin production.
- Curcumin acts as antifungal and anti-bacterial agent.
- Odourless toxin binder

Usage

1 kg per Ton

If moisture level is more than 15%
double the dose

Or as recommended by Nutritionist / Veterinarian

TRIPLE SHIELD

A POWERFUL BROAD-SPECTRUM BIOCIDIDE

Pack size:
500 gm



Composition

Potassium Monopersulfate 50 % w/w
Sodium Chloride 2% w/w

Benefits

- Broad spectrum poultry biocide.
- Wide range of applications.
- Effective against many potential pathogens. Suitable for inanimate surface, areal and water decontamination/ sanitization.
- Instant in action and ensures hygiene and biosecurity at farm.

Indication	Dilution	Application
Areal Spray (in presence of birds)	5g per 1 L of water	1L for 100 sq ft area
Fogging	50g per 1 L of water	1L for 500 sq ft area
Routine water sanitization	1g per 10 L of water	Through header tank
Water sanitization in outbreak	1g per 1 L of water	Through header tank or dosing system for 5-7 days
Terminal disinfection	5g per 1 L of water	1L for 25 sq ft area
Egg cleaning & hatchery disinfection	10g per 1 L of water	
Foot dip	10g per 1 L of water	

FLY MANAGEMENT

Larve Die DS

CYROMOZINE FEED
PREMIX 2%

Pack size:
10 kg



Composition

Cyromazine 2% w/w

Indications

- Fly menace

Benefits

- Larve Die DS is used to control nuisance caused by flies which develop in poultry farms.
- Recommended to be used in broilers, breeders and layers.

Usage

250 gm per Ton

At the beginning of fly menace for 4-6 weeks and continuously repeated at regular interval

Or as recommended by Nutritionist / Veterinarian





Micro Animal Health Care
(A MICRO LABS GROUP ENTITY)



Therapeutic

Bancoxy-Plus

SPEEDY CONTROL
OF COCCIDIOSIS

Pack size:
500 gm



Composition

Sulfaquinoxaline sodium
Equivalent to Sulfaquinoxaline....16.66% w/w
Amprolium.....16.66% w/w

Indications

- Effective against ceecal & cecal clinical coccidiosis
- Controls chicks mortality within 24 hrs

Usage

1gm per 2 litre water for 3-5 days
Or as recommended by Veterinarian.

Bancoxy-K

PREVENTIVE/CURATIVE
IDEAL COCCIDIOSIS

Pack size:
1 kg



Composition

Amprolium.....20% w/w
Menadione sodium Bisulphite
Equivalent to Menadione....0.2% w/w

Indications

- To control coccidiosis quickly and prevent mortality.
- Arrests haemorrhage and helps in faster recovery.

Usage

1gm per liter water for 5-7 days
Or as recommended by Veterinarian.



Azilide Vet

AN IDEAL ANTIBIOTIC
FOR BACTERIAL INFECTIONS

Pack size:
100 gm & 1kg



Composition

Each gm contains Azithromycin Equivalent to Anhydrous Azitromycin 100 mg

Indications

- To Treat CRD and URTI caused by Gram negative bacteria in poultry

Usage

- 10 mg per kg body weight for 3-5 days in drinking water
- Or as recommended by Veterinarian.

Gramocet-Vet Injection

RESULT ORIENTED 3RD
GENERATION CEPHALOSPORIN

Pack size:
Vial of 3.375
with water for
injection



Composition

Ceftriaxone3gm
Tazobactam0.375gm

Indications

- Controls early chick mortality within a day.
- Drug of choice for various bacterial infections (*Salmonella*, *E. coli*, *Enterococcus*, *Streptococcus* and *Staphylococcus*)

Features

- No nephro toxicity and weight loss.
- Compatible with ND, MD vaccines.
- Synergistic in action.
- Effectively treat CRD.
- No resistance

Usage

Chicks: 6 mg per kg body weight
Growers: 10 mg per kg body weight
Day old chicks: 1 vial of Gramocet Vet Inj per 10000 chicks

Or as recommended by Veterinarian.

Levobact-Vet

PROVEN ANTIBACTERIAL

Pack size:
200 gm



Composition

Each gm contains
Levofloxacin Hemihydrate Equivalent to
Levofloxacin.....100mg

Indications

- To treat CRD, Coryza, Fowl Cholera & Salmonellosis.

Usage

For Prevention: 2-4 gm of Levobact Vet in 10 L of water for 3-5 days
For Treatment: Double the dose for 3-5 days

Or as recommended by Veterinarian.

Microcef Powder

WATER SOLUBLE POWDER
(CEPHALEXIN ORAL POWDER)

Pack size:
20gm



Composition

Cephalexin 7.5% w/w

Indications

- Prevents early chick mortality.
- To treat Dermatitis, Cholera, *E. Coli* infection, Coryza.

Usage

- 1gm per liter of water for 5 days
Or as recommended by Veterinarian.

Microdox-Vet

TRUSTED COMBINATION
SINCE MANY YEARS

Pack size:
250 gm



Composition

Doxycycline Hydrochloride Equivalent to Doxycycline 10% w/w
Neomycin Sulphate Equivalent to Neomycin 10% w/w

Indications

- To prevent early chick mortality.
- To prevent mixed bacterial infection.
- To prevent enteric infections.

Usage

For early chick mortality:
1gm per 10 L water for 3-5 days
for 200 birds, repeat after 4th week.
During severe infections:
1 gm per 3-5 L water for 3-5 days
Or as recommended by Veterinarian.

Microflox-Vet

Choice for mixed Infestations

Pack size:
1 kg



Composition

Ciprofloxacin Hydrochloride
Equivalent to
Ciprofloxacin 10%w/w

Indications

- Broad spectrum antibiotic. controls all types of bacterial infections.
- Reduces mortality & morbidity.

Usage

1 gm per 2 L of drinking water for 3-5 days
10-15 mg per kg body weight for 3-5 days
Or as recommended by Veterinarian.

Microsol

DRUG OF CHOICE
FOR SALMONELLA

Pack size:
500 gm



Composition

Furaltadone Hydrochloride
Equivalent to Furaltadone 20% w/w

Usage

1gm per liter of water for 5 days
For chicks below 2 week half the above dose
Or as recommended by Veterinarian.

Indications

- Drug of choice for Salmonellosis in chicks and adult birds.
- Bacillary white diarrhoea

New

Mortin-Vet

TRUSTED CO-TRIMAZINE
FOR CORYZA

Pack size:
1 Kg



Composition

Trimethoprim 2%w/w
Sulphadiazine 10%w/w

Usage

1gm per liter of water for 5 days
Or as recommended by Veterinarian.

Indications

- Broad spectrum potentiated bactericidal antibiotic with synergistic effect against all bacterial diseases.

Pulmoclox-Vet

TRUSTED COMBINATION

Pack size:
200 gm



Composition

Amoxycillin Trihydrate Equivalent to Amoxycillin 5% w/w
Cloxacillin Sodium Equivalent to Cloxacillin 5% w/w

Usage

1 gm per liter water for 3-5 days
Or as recommended by Veterinarian.

Indications

- Product of choice to avoid drug resistance.
- Controls mixed bacterial infections.
- Controls white diarrhoea,
- Controls Coryza, Fowl cholera, wing rot.
- Controls Early Chick Mortality.

Pulmoxy-Vet

GOOD OLD PENICILLIN

Pack size:
500 gm



Composition

Amoxycillin Trihydrate Equivalent to
Amoxycillin 10% w/w

Usage

1gm per liter water for 3-5 days
Or as recommended by Veterinarian.

Indications

- The best oral penicillin, fast absorption.
- Effective against Enteritis.
- Effective against Dermatitis, Salmonellosis.

DEWORMER

HELMISOL 30

AN IDEAL DEWORMER
& IMMUNITY ENHANCER

Pack size:
500 gm



Composition


Levamisole
Hydrochloride 30% w/w

Usage

- **For Deworming:** 50-120 g per 50 L of drinking water which is adequate for 500 layers or 1000 chicks after starving for 3 hours.
 - **As an Immunostimulant:** 17-25 g per 50 L of drinking water which is adequate for 500 layers or 1000 chicks after starving for 3 hours
- Or as recommended by Veterinarian.**

Indications

- Broad Spectrum dewormer, Effective against Roundworms and develops Immunity in Birds.



Feed Additives Products



Therapeutic Products



Micro Animal Health Care Private Limited

(A MICRO LABS GROUP ENTITY)

203, A Wing, Queens Corner Apartment, Queens Road, Bangalore-560001, India.

Consumer Care No.: +91-80-41640071 | Email: vetadmin@microlabs.in